



GENERAL NOTES

1. Size and depth of header based on span and load conditions.
2. Steel gusset size and gauge to be determined by job conditions shall be installed on both sides of the header/jamb interface.
3. Steel gusset plate attached with mechanical fasteners, size and spacing to meet specific design.
4. Specially designed proprietary accessories may be used in place of the steel gusset plates.
Consult with accessory manufacturer for specific design.
5. Fasteners may be substituted with welds as required if minimum steel thickness requirement of 16 gauge is met.
6. Gypsum panels shown on both sides of cold-formed steel stud. Type and thickness of panel as required to meet job conditions.
7. Follow **SFIA Technical Guide for Cold-Formed Steel Framing Products** for specific depth, thickness, and number of joists for the boxed header.
8. Follow **SFIA Technical Guide for Cold-Formed Steel Framing Products** for specific depth, thickness of jamb studs and posts.
9. Consult with specialty structural engineer for structural stud design.

DISCLAIMER: This detail must not be used without a complete evaluation by the owner's design professional